



For vaccine recipients: The following questions will help us determine if there is any reason you sho not get the COVID-19 vaccine today. If you answer "yes" to any question, it does not necessarily mean you should not be vaccinated. It just means additional questions may be asked. If a question is not clear, please ask your healthcare provider to explain it.	Age — Don't
Are you feeling sick today?	Yes No know
<ul> <li>2. Have you ever received a dose of COVID-19 vaccine?</li> <li>• If yes, which vaccine product(s) did you receive?</li> <li>□ Pfizer-BioNTech □ Moderna □ Janssen (Johnson &amp; Johnson &amp; Joh</li></ul>	Another Product
How many doses of COVID-19 vaccine have you received?	
Did you bring your vaccination record card or other documentation?	
3. Do you have a health condition or are you undergoing treatment that makes you moderately or severely immunocompromised? (This would include treatment for cancer or HIV, receipt of organ transplant, immunosuppressive therapy or high-dose corticosteroids, CAR-T-cell therapy, hematopoietic cell transplant [HCT], DiGeorge syndrome or Wiskott-Aldrich syndrome)	
<b>4.</b> Have you received hematopoietic cell transplant (HCT) or CAR-T-cell therapies since receiving COVID-19 vaccine?	
<ul> <li>Have you ever had an allergic reaction to:         (This would include a severe allergic reaction [e.g., anaphylaxis] that required treatment with epinephrine or EpiPen® or that caused you to ao to the hospital. It would also include an alleraic reaction that caused hives. swellina. or respiratory distress. includina wheezina.)</li> <li>A component of a COVID-19 vaccine, including either of the following:         <ul> <li>Polyethylene glycol (PEG), which is found in some medications, such as laxatives and preparations for colonoscopy procedures</li> </ul> </li> </ul>	
Polysorbate, which is found in some vaccines, film coated tablets, and intravenous steroids	
A previous dose of COVID-19 vaccine	
6. Have you ever had an allergic reaction to another vaccine (other than COVID-19 vaccine) or an injectable medication? (This would include a severe allergic reaction [e.g., anaphylaxis] that required treatment with epinephrine or EpiPen® or that caused you to go to the hospital. It would also include an allergic reaction that caused hives, swelling, or respiratory distress, including wheezing.)	
7. Check all that apply to you:	
☐ Am a female between ages 18 and 49 years old	☐ Have a bleeding disorder
☐ Am a male between ages 12 and 29 years old	☐ Take a blood thinner
☐ Have a history of myocarditis or pericarditis	$\square$ Have a history of heparin-induced thrombocytopenia (HIT)
☐ Have been treated with monoclonal antibodies or convalescent serum to prevent or treat COVID-19	Am currently pregnant or breastfeeding
☐ Diagnosed with Multisystem Inflammatory Syndrome (MIS-C or MIS-A) after a COVID-19 infection	☐ Have received dermal fillers ☐ Have a history of Guillain-Barré Syndrome (GBS)
	<b>-</b> .

 $Adapted\ with\ appreciation\ from\ the\ Immunization\ Action\ Coalition\ (IAC)\ screening\ checklists$